

Objectives

After studying this section, you will be able to


- State the purposes of proof and provide examples that demonstrate each purpose
- Recognize congruent inscribed and tangent-chord angles
- Determine the measure of an angle inscribed in a semicircle
- Apply the relationship between the measures of a tangent-tangent angle and its minor arc

The Purposes of Proof

Theorem 23 *If two angles are both supplementary and congruent, then they are right angles.*

Given: $\angle 1 \cong \angle 2$

Prove: $\angle 1$ and $\angle 2$ are right angles.



Two-column format

Statements	Reasons
1. $\angle 1 \cong \angle 2$	1) Given
2. $m\angle 1 = m\angle 2$	2) $\cong \angle s \Rightarrow =$ measure (1)
3. $\angle 1$ supp $\angle 2$	3) st $\angle \Rightarrow$ supp $\angle s$
4. $m\angle 1 + m\angle 2 = 180^\circ$	4) supp $\angle s$ sum to 180° (3)
5. $m\angle 1 + m\angle 1 = 180^\circ$	5) substitute (2, 4)
6. $2(m\angle 1) = 180^\circ$	6) add (5)
7. $m\angle 1 = 90^\circ$	7) divide (6)
8. $\angle 1$ is a right angle	8) If an angle measures 90° , then it is a right angle

Paragraph format

Proof: If two angles form a straight angle, then they are supplementary. Hence, $\angle 1$ is supplementary to $\angle 2$.

Supplementary angles sum to 180° , thus $m\angle 1 + m\angle 2 = 180^\circ$. It's given that $\angle 1 \cong \angle 2$. By substitution, $m\angle 1 + m\angle 1 = 180^\circ$. By addition, $2(m\angle 1) = 180^\circ$. By division, $m\angle 1 = 90^\circ$. If an angle measures 90° , it is a right angle. Therefore $\angle 1$ is a right angle and so is $\angle 2$.

Now that we have proven the theorem, we can add it to our system and use it in the future. Now, whenever we come across two angles that form a straight angle, we can immediately state each is right angle (saving us steps in future proofs).

Verify the truth of a mathematical statement: The statements - specific to this problem - show logically, and step by step, why the final statement is true. (Note: Remember that we started the year with some logic: $a \Rightarrow b$ & $b \Rightarrow c \therefore a \Rightarrow c$.)

Explain why it is true: The reasons are generalizations that are already in our system. We know these to be always true.


Communicate mathematical knowledge: The proof is not the format. The proof is the logical process of specifically showing why, step by step, and supporting each step with a trustworthy generalization.

Discover new mathematics: When we prove theorems, we get to add them to our system which makes it larger.

Create an axiomatic system: We started with a few assumptions. (For example, a point is a place in space. It has no length, width, or height.) We wrote definitions based on those assumptions, and used those definitions to prove theorems. Then we continued to use our existing axioms (that is definitions, theorems, and postulates) to prove more theorems. This process created an axiomatic system.

Theorem 89 *If two inscribed or tangent-chord angles intercept the same arc, then they are congruent.*

Given: X and Y are inscribed angles intercepting arc AB.
 Conclusion: $\angle X \cong \angle Y$




If an angle is inscribed then its measure is $\frac{1}{2}$ of the measure of the arc it makes:

$$m\angle AXB = \frac{1}{2} m\widehat{AB} \text{ and } m\angle AYB = \frac{1}{2} m\widehat{AB}.$$

If two angles have the same measure then they are congruent. Therefore, $\angle AXB \cong \angle AYB$. QED

Theorem 90 *If two inscribed or tangent-chord angles intercept congruent arcs, then they are congruent.*

If \overleftrightarrow{ED} is the tangent at D and $\widehat{AB} \cong \widehat{CD}$, we may conclude that $\angle P \cong \angle CDE$.



If an angle is inscribed then its measure is $\frac{1}{2}$ of the measure of the arc it makes:


$$m\angle APB = \frac{1}{2} m\widehat{AB} \text{ and } \angle CDE = \frac{1}{2} m\widehat{CD}.$$

It's given that $\widehat{AB} \cong \widehat{CD}$. If two arcs are congruent then they have the same measure, so $m\widehat{AB} = m\widehat{CD}$. By substitution,

both of these angles measure $\frac{1}{2} m\widehat{AB}$. If two angles have the same measure then they are congruent. Therefore, $\angle APB \cong \angle CDE$. QED


Theorem 91 *An angle inscribed in a semicircle is a right angle.*

Given: \overline{AB} is a diameter of $\odot O$.
 Prove: $\angle C$ is a right angle.



Theorem 92 *The sum of the measures of a tangent-tangent angle and its minor arc is 180.*

Given: \overline{PT} and \overline{PS} are tangent to circle O.
 Prove: $m\angle P + m\widehat{TS} = 180$



Let $TS = x$. A circle measures 360° , so major arc $\widehat{TS} = (360 - x)^\circ$.

$$\text{Then by the formula, } m\angle P = \frac{(360-x) - x}{2}.$$

$$\text{Multiply: } 2(m\angle P) = (360 - x) - x.$$

$$\text{Add: } 2(m\angle P) = 360 - 2x$$

$$\text{Factor the right hand side: } 2(m\angle P) = 2(180 - x)$$

$$\text{Divide: } m\angle P = 180 - x$$

$$\text{Add: } m\angle P = 180 - x$$


Substitute the symbols with words: (tan-tan angle) + (minor arc) = 180°

Examples

Problem 1

Given: $\odot O$

Conclusion: $\triangle LVE \sim \triangle NSE$,
 $EV \cdot EN = EL \cdot SE$




Proof

1 $\odot O$	1
2 $\angle V \cong \angle S$	2
3 $\angle L \cong \angle N$	3
4 $\triangle LVE \sim \triangle NSE$	4
5 $\frac{EV}{SE} = \frac{EL}{EN}$	5
6 $EV \cdot EN = EL \cdot SE$	6

Problem 2

In circle O, \overline{BC} is a diameter and the radius of the circle is 20.5 mm.
 Chord \overline{AC} has a length of 40 mm. Find AB.



Solution

Since $\angle A$ is inscribed in a semicircle, it is a right angle. By the Pythagorean Theorem,


The radius = 20.5, so the diameter $BC =$ _____.

If an inscribed angle forms a semicircle, then it is a right angle. Hence \angle _____ is a right angle.

Label the diagram with appropriate marks and measures.

Problem 3


Given: $\odot O$ with \overleftrightarrow{AB} tangent at B, $\overleftrightarrow{AB} \parallel \overleftrightarrow{CD}$
 Prove: $\angle C \cong \angle BDC$



Proof

1 \overleftrightarrow{AB} is tangent to $\odot O$.	1 Given
2 $\overleftrightarrow{AB} \parallel \overleftrightarrow{CD}$	2 Given
3 $\angle ABD \cong \angle BDC$	3
4 $\angle C \cong \angle ABD$	4
5 $\angle C \cong \angle BDC$	5

3 In $\odot P$, \overline{BC} is a diameter, $AC = 12$ mm, and $BA = 16$ mm. Find the radius of the circle.



If an inscribed angle forms $\frac{1}{2}$ circle, then the chord it creates is a diameter.


Given rt Δ with sides: (12, 16, BC).

Use the reduced triangle principle: 4 (3, 4, ___) such that $BC =$ _____.

BC is the diameter. Then the radius is _____.

4 Given: \overline{PQ} and \overline{PR} are tangent segments.
 $\widehat{QR} = 163^\circ$

Find: **a** $\angle P$
b $\angle PQR$



(a) The tan-tan \angle & the minor arc sum to _____.

(b) $\overline{QP} \cong \overline{PR}$ (_____)

$\angle Q \cong \angle R$ (_____)


($\Sigma \angle$ s in $\Delta = 180^\circ$): _____

Subtract: _____

Divide: _____

6 Given: $\widehat{BC} \cong \widehat{ED}$, $AB = 8$,
 $BC = 4$, $CD = 9$

a Are \overline{BE} and \overline{CD} parallel?
b Find BE.
c Is ΔACD scalene?



NAME _____


Adv Geo - _____

10-6: More Angle-Arc Theorems


Date _____

7 Given: \overleftrightarrow{PY} and \overleftrightarrow{QW} are tangents.
 $\widehat{WZ} = 126^\circ$, $\widehat{XY} = 40^\circ$

Find: \widehat{PQ}




18 Given: $\widehat{BC} \cong \widehat{CD}$
 Conclusion: $\triangle ABC \sim \triangle AED$



AMDG


- 19 Given: \overleftrightarrow{AC} is tangent at A. $\angle APR$ and $\angle AQR$ are right \angle s. R is the midpoint of \widehat{AB} .

Conclusion: $\overline{PR} \cong \overline{RQ}$ (Hint: Draw \overline{AR} .)



- 20 Given: $\triangle WXZ$ is isosceles, with $\overline{WX} \cong \overline{WZ}$. \overline{WZ} is a diameter of $\odot O$.

Prove: Y is the midpoint of \overline{XZ} .
(Hint: Draw \overline{WY} .)




Homework


5 Given: A, B, and C are points of contact.

$\widehat{AB} = 145^\circ, \angle Y = 48^\circ$

Find: $\angle Z$



8 If $\triangle ABC$ is inscribed in a circle and $\widehat{AC} \cong \widehat{AB}$, tell whether each of the following must be true, could be true, or cannot be true.



a $\overline{AB} \cong \overline{AC}$

b $\overline{AC} \cong \overline{BC}$


c \overline{AB} and \overline{AC} are equidistant from the center of the circle.

d $\angle B \cong \angle C$


e $\angle BAC$ is a right angle.

f $\angle ABC$ is a right angle.

9 In the figure shown, find $m\angle P$.




10 If \overline{AB} is a diameter of $\odot P$, $CB = 1.5$ m, and $CA = 2$ m, find the radius of $\odot P$.




11 The radius of $\odot Z$ is 6 cm and $\widehat{WX} = 120^\circ$.

Find: **a** AX

b The perimeter of $\triangle WAX$




12 M is the midpoint of \widehat{AB} . Find $m\widehat{CD}$.



15 Quadrilateral ABCD is inscribed in circle O. $AB = 12$, $BC = 16$, $CD = 10$, and $\angle ABC$ is a right angle. Find the measure of \widehat{AD} in simplified radical form.


16 Circles O and P are tangent at F. \overline{AC} and \overline{CE} are tangent to $\odot P$ at B and D. If $\widehat{DFB} = 223^\circ$, find \widehat{AE} .




AMDG

17 Given: $\angle S = 88^\circ$, $\widehat{QT} = 104^\circ$, $\widehat{ST} = 94^\circ$,
tangent \overline{PQ}


Find: **a** $\angle P$
b $\angle STQ$



21 Given: \overline{AC} is tangent to $\odot O$ at A.
Conclusion: $\triangle ADC \sim \triangle BDA$




24 Given: $\odot P \cong \odot Q$,
 $XY = 8$,
 $RP = QS = 1$
Find: PQ



Classwork

Complete the problems on your own. Compare work with a partner. Discuss any differences, and revise. Hand in when completed (before the period ends).


- 1 Given: X is the midpt. of \widehat{WY} .
 Prove: \overrightarrow{ZX} bisects $\angle WZY$.



(4 points, 1 pt per reason)

S	R
1. X is the midpoint of \widehat{WY}	1.
2. $\widehat{WX} \cong \widehat{XY}$	2.
3. $\angle WZX \cong \angle XZY$	3.
4. \overrightarrow{ZX} bisects $\angle WZY$	4.

- 2 Given: $\odot E$ with diameter \overline{AC} , $\overline{BC} \cong \overline{CD}$
 Conclusion: $\triangle ABC \cong \triangle ADC$



(5 points, holistic)

- 13 A rectangle with dimensions 18 by 24 is inscribed in a circle.
 Find the radius of the circle.

(3 pts)