NAME Student AMDG

Adv Geo -- ***Ch 9 Review*** Ms. Kresovic Thursday, 20 March 2014

Objectives (review old notes for specific objectives)

- Simplify radicals
- Introduction to circles
- Altitude-on-hypotenuse theorem
- Pythagorean theorem
- Distance formula
- Reduced triangle principle
  - Families of right triangles
  - Special right triangles
- Pythagorean theorem in 3D shapes

Problem Set A

1 **a** Find GF if HG = 4 and EG = 6.

b Find EH if GH = 4 and GF = 12.

c Find HF if EF = $2\sqrt{5}$ and GF = 4.

d Find HF if EH = 2 and EF = 3.

a. 

$\frac{4}{6} = \frac{6}{x}$, $4x = 36$, $x = 9$

b. 

c. 

$\frac{\text{leg}}{\text{hyp}}: \frac{4}{2\sqrt{5}} = \frac{2\sqrt{5}}{x}$, $4x = 20$, $x = 5$

d. 

2 Identify the family of each of these special right triangles.

a 

30°, 60°, 90°

b 

c 

(5, 12, 13)

d 

e 

3 Find the missing lengths.

a 

c 

e 

$4\sqrt{5}$

g 

i 

b



d



f



h



j



4 If AE = 6 and BE = 8, what is the perimeter of the rhombus shown?



5 Find the altitude of the triangle shown.

30 60 90
x x√3 2x
3 3√3 6
alt



180 ÷ 3 / 60°

6 Vail skied 2 km north, 2 km west, 1 km north, and 2 km west. How far was she from her starting point?



7 A 25-ft ladder just reaches a point on a wall 24 ft above the ground. How far is the foot of the ladder from the wall?

8 Find, ~~to the nearest tenth~~, the altitude to the base of an isosceles triangle whose sides have lengths of 8, 6, and 8.

$3^2+a^2=8^2$

$a^2=64-9$

$a=\sqrt{55}$

9 If the altitude of an equilateral triangle is $8\sqrt{3}$, find the perimeter of the triangle.

10 What is the length of a diagonal of a 2-by-5 rectangle?



$d=\sqrt{2^2+5^2}$

$d=\sqrt{29}$

11 In the trapezoid shown, find RS.



12 Given: TVWX is an isosceles trapezoid.
TX = 8, VW = 12, ∠V = 30°

Find: TV and TZ

30 60 90
$\frac{x}{2}\sqrt{3}$ $x\sqrt{3}$ $\frac{4}{2}\sqrt{3}$
TZ Q TV





If $x\sqrt{3} = 2$, $x = \frac{2\sqrt{3}}{3}$

$\frac{x\sqrt{3}}{\sqrt{3}} = \frac{2}{\sqrt{3}}$

$x = \frac{2}{\sqrt{3}} \cdot \frac{\sqrt{3}}{\sqrt{3}} = \frac{2\sqrt{3}}{3}$

13 Find the diagonal of a rectangular solid whose dimensions are 4, 3, and 12.

14 Given: The regular square pyramid shown,
PR = 20, PS = 25

Find: The perimeter of base JKMO

4.5 5.5



30

$P = 4(30) = 120$

15 In the rectangular solid shown, find AG to the nearest tenth if DC = 12, CG = 7, and AD = 4.



16 Given: $\overline{AC} \perp \overline{CB}$, $\overline{DE} \parallel \overline{CB}$,
AC = 15, AB = 17, DE = 4

Find: **a** CB **b** AD **c** AE **d** EB **e** DC



14 Given: The regular square pyramid shown,
PR = 20, PS = 25
Find: The perimeter of base JKMO



17 Find the distance from A to B if A = (1, 11) and B = (4, 15).

20 Given: RECT is a rectangle.
RE = 6, EC = 8
Find: **a** The measure of $\overset{\frown}{RTC}$
b The length of $\overset{\frown}{RTC}$
c The area of the shaded region to the nearest tenth



21 **a** Find m∠DEF.
b Find m$\overset{\frown}{DEF}$.
c Find the length of $\overset{\frown}{DEF}$.



22 Given: $\odot P$, $\angle CAB = 30°$

Find: **a** $m\overset{\frown}{BC}$

b $m\overset{\frown}{AC}$

c The length of $\overset{\frown}{BC}$

d The area of the shaded region



23 Two boats leave the harbor at 9:00 A.M. Boat A sails north at 20 km/hr. Boat B sails west at 15 km/hr. How far apart are the two boats at noon?

24 **a** Find x.



b Find y.



26 A boat is tied to a pier by a 25′ rope. The pier is 15′ above the boat. If 8′ of rope is pulled in, how many feet will the boat move forward?



27 Find x.



28 Follow the treasure map of Captain Zig Zag to see how far the treasure is from the old stump.

From the ol' pirate stump take ye 30 paces east, then 20 paces north, 6 paces west, and then another 25 paces north, and there ye find my treasure

29 Given: Kite KITE with right ∠s KIT and KET,
KP = 9, TP = 4

Find: **a** IE

b The perimeter of KITE



30 Given: RECT is a rectangle.
$\overline{CE} \parallel$ y-axis,
$\overline{RE} \parallel$ x-axis.

a Find the coordinates of E.

b Find the area of RECT.

c Find, to the nearest tenth, the length of $\overline{RC}$.



31 Show that quadrilateral QUAD, with Q = (−1, −4), U = (4, 11), A = (1, 12), and D = (−4, −3), is a rectangle.